

Appendix III: Publications through 2008

Pub#	Project	Reference
1	207	Rodionov, S.N., 2004. A sequential algorithm for testing climate regime shifts. <i>Geophysical Research Letters</i> 31, L09204; doi:10.1029/2004GL019448.
2	301	Ryer, C.H., Stoner, A.W., and Titgen, R.H., 2004. Behavioral mechanisms underlying the refuge value of benthic habitat structure for two flatfishes with differing anti-predator strategies. <i>Marine Ecology Progress Series</i> 268: 231–243.
3	305	Jurado-Molina, J., and Livingston, P., 2004. Sensitivity analysis of the multispecies virtual population analysis model parameterized for a system of trophically-linked species from the eastern Bering Sea. <i>Ciencias Marinas</i> 30(2): 1–12.
4	307	Wiggins, S.M., McDonald, M.A., Munger, L.M., Moore, S.E., and Hildebrand, J.A., 2004. Waveguide propagation allows range estimates for North Pacific right whales in the Bering Sea. <i>Canadian Acoustics</i> 32(2): 146–154
5	207	Rodionov, S.N., and Overland, J.E., 2005. Application of a sequential regime shift detection method to the Bering Sea ecosystem. <i>ICES Journal of Marine Science</i> 62: 328–332.
6	209	Gharrett, A.J., Matala, A.P., Peterson, E.L., Gray, A.K., and Li, Z., 2005. Two genetically distinct forms of rougheye rockfish are different species. <i>Transactions of the American Fisheries Society</i> 134: 242–260.
7	301	Spencer, M.L., Stoner, A.W., Ryer, C.H., and Munk, J.E., 2005. A towed camera sled for estimating abundance of juvenile flatfishes and habitat characteristics: comparison with beam trawls and divers. <i>Estuarine, Coastal and Shelf Science</i> 64: 497–503.
8	303	Smith, C.T., Seeb, J.E., Schwenke, P., and Seeb, L.W., 2005. Use of the 5'-nuclease reaction for single nucleotide polymorphism genotyping in chinook salmon. <i>Transactions of the American Fisheries Society</i> 134: 207–217.
10	304	Heifetz, J., Wing, B.L., Stone, R.P., Malecha, P.W., and Courtney, D.L., 2005. Corals of the Aleutian Islands. <i>Fisheries Oceanography</i> 14(suppl. 1): 131–138.
11	305	Jurado-Molina, J., Livingston, P.A., and Ianelli, J.N., 2005. Incorporating predation interactions in a statistical catch-at-age model for a predator–prey system in the eastern Bering Sea. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> 62: 1865–1873.
12	305	Jurado-Molina, J., Livingston, P.A., and Galucci, V.F., 2005. Testing the stability of the suitability coefficients from an eastern Bering Sea multispecies virtual population analysis. <i>ICES Journal of Marine Science</i> 62:915–924.
13	305	Livingston, P.A., Aydin, K., Boldt, J., Ianelli, J.N., and Jurado-Molina, J., 2005. A framework for ecosystem impacts assessment using an indicator approach. <i>ICES Journal of Marine Science</i> 62(3): 592–597.
14	307	Munger, L.M., Mellinger, D.K., Wiggins, S.M., Moore, S.E., and Hildebrand, J.A., 2005. Performance of spectrogram cross-correlation in detecting right whale calls in long-term recordings from the Bering Sea. <i>Canadian Acoustics</i> 33(2): 25–34.
15	308	Buchheister, A., and Wilson, M.T., 2005. Shrinkage correction and length conversion equations for <i>Theragra chalcogramma</i> , <i>Mallotus villosus</i> and <i>Thaleichthys pacificus</i> . <i>Journal of Fish Biology</i> 67: 541–548.
16	308	Lankbury, J.A., Duffy-Anderson, J.T., Mier, K.L., and Wilson, M.T., 2005. Ichthyoplankton abundance, distribution, and assemblage structure in the Gulf of Alaska during September 2000 and 2001. <i>Estuarine, Coastal and Shelf Science</i> 64: 775–785.
17	327	Zimmerman, C.E., Hillgruber, N., Burrell, S.E., St.Peters, M.A., and Wetzell, J.D., 2005. Offshore marine observation of willow ptarmigan, including water landings, Kuskokwim Bay, Alaska. <i>Wilson Bulletin</i> 117(1): 12–14.
20	205, 303	Smith, C.T., Elfstrom, C.M., Seeb, L.W., and Seeb, J.E., 2005. Use of sequence data from rainbow trout and Atlantic salmon for SNP detection in Pacific salmon. <i>Molecular Ecology</i> 14: 4193–4203.
21	313	Frid, A., Baker, G.G., and Dill, L.M., 2006. Do resource declines increase predation rates on North Pacific harbor seals? A behavior-based plausibility model. <i>Marine Ecology Progress Series</i> 312: 265–275.
23	301	Petrie, M.E., and Ryer, C.H., 2006. Laboratory and field evidence for structural habitat affinity of young-of-the-year lingcod. <i>Transactions of the American Fisheries Society</i> 135: 1622–1630.
25	301	Petrie, M.E., and Ryer, C.H., 2006. Hunger, light level and body size affect refuge use by post-settlement lingcod <i>Ophiodon elongatus</i> . <i>Journal of Fish Biology</i> 69: 957–969.
26	301	Lemke, J.L., and Ryer, C.H., 2006. Relative predation vulnerability of three juvenile (Age-0) North Pacific flatfish species: possible influence of nursery-specific predation pressures. <i>Marine Ecology Progress Series</i> 328: 267–273.
27	301	Stoner, A.W., Spencer, M.L., and Ryer, C.H., 2007. Flatfish-habitat associations in Alaska nursery grounds: use of continuous video records for multi-scale spatial analysis. <i>Journal of Sea Research</i> 57: 137–150.

Pub#	Project	Reference
28	535, 411	Krahn, M.M., Herman, D.P., Matkin, C.O., Durban, J.W., Barrett-Lennard, L., Burrows, D.G., Dahlheim, M.E., Black, N., LeDuc, R.G., and Wade, P.R., 2007. Use of chemical tracers in assessing the diet and foraging regions of eastern North Pacific killer whales. <i>Marine Environmental Research</i> 63: 91–114.
29	301	Lemke, J.L., and Ryer, C.H., 2006. Risk sensitivity in three juvenile (Age-0) flatfish species: Does estuarine dependence promote risk-prone behavior? <i>Journal of Experimental Marine Biology and Ecology</i> 333: 172–180.
30	206, 302	Batten, S.D., Hyrenbach, K.D., Sydeman, W.J., Morgan, K.H., Henry, M.F., Yen, P.P. J., and Welch, D.W., 2006. Characterising meso-marine ecosystems of the North Pacific. <i>Deep-Sea Research II</i> 53: 270–290.
31	308	Buchheister, A., Wilson, M.T., Foy, R.J., and Beauchamp, D.A., 2006. Seasonal changes in whole body energy content and condition of juvenile walleye pollock in the western Gulf of Alaska. <i>Transactions of the American Fisheries Society</i> 135: 897–907.
33	308	Wilson, M.T., Jump, C.M., and Duffy-Anderson, J.T., 2006. Comparative analysis of the feeding ecology of energy-rich and energy-poor forage fishes: capelin <i>Mallotus villosus</i> versus walleye pollock <i>Theragra chalcogramma</i> . <i>Marine Ecology Progress Series</i> 317: 245–258.
35	322	Suryan, R.M., Sato, F., Balogh, G.R., Hyrenbach, K.D., Sievert, P.R., and Ozaki, K., 2006. Foraging destinations and marine habitat use of short-tailed albatrosses: a multi-scale approach using first-passage time analysis. <i>Deep-Sea Research II</i> 53: 370–386.
37	316	Stevens, B.G., 2006. Embryo development and morphometry in the blue king crab <i>Paralithodes platypus</i> studied by using image and cluster analysis. <i>Journal of Shellfish Research</i> 25(2): 569–576.
38	316	Stevens, B.G., 2006. Timing and duration of larval hatching for blue king crab <i>Paralithodes platypus</i> Brandt, 1850 held in the laboratory. <i>Journal of Crustacean Biology</i> 26(4): 495–502.
40	420	Gharrett, A.J., Mecklenburg, C.W., Seeb, L.W., Li, Z., Matala, A.P., Gray, A.K., and Heifetz, J., 2006. Do genetically distinct rougheye rockfish sibling species differ phenotypically? <i>Transactions of the American Fisheries Society</i> 135(3):792–800.
41	534	Day, R.D., Vander Pol, S.S., Christopher, S.J., Davis, W.C., Pugh, R.S., Simac, K.S., Roseneau, D.G., and Becker, P.R., 2006. Murre eggs (<i>Uria aalge</i> and <i>Uria lomvia</i>) as indicators of mercury contamination in the Alaskan marine environment. <i>Environmental Science and Technology</i> 40(3): 659–665.
42	520	Liu, H., and Hopcroft, R.R., 2006. Growth and development of <i>Neocalanus flemingeri/plumchrus</i> in the northern Gulf of Alaska: validation of the artificial-cohort method in cold waters. <i>Journal of Plankton Research</i> 28(1): 87–101.
44	315	Overland, J.E., and Stabeno, P.J., 2004. Is the climate of the Bering Sea warming and affecting the ecosystem? <i>EOS</i> 85(33): 309–312.
46	423	Herrmann, M. and Greenberg, J., 2007. The demand and allocation of Alaskan and Canadian snow crab. <i>Canadian Journal of Agricultural Economics</i> 55: 27–48.
49	204	Fukuwaka, M., Urawa, S., Yoshimitsu, S., Davis, N.D., and Walker, R.V., 2005. Recoveries of high-seas tags in Japan in 2004, and tag releases and recoveries of fin-clipped salmon from Japanese research vessel surveys in the North Pacific Ocean in summer of 2005. NPAFC Doc. 889. Hokkaido National Fisheries Research Institute, Fisheries Research Agency, Kushiro, Japan.
50	204	Nagasawa, T., Fukuwaka, M., Urawa, S., Hirasawa, K., Davis, N., and Walker, R.V., 2004. Recoveries of high-seas tags in Japan in 2003, and tag releases and recoveries of fin-clipped salmon from Japanese research vessel surveys in the North Pacific Ocean in fall of 2003 and summer of 2004. NPAFC Doc. 786. Hokkaido National Fisheries Research Institute, Fisheries Research Agency, Kushiro, Japan.
51	204	Walker, R.V., Davis, N.D., Myers, K.W., and Fukuwaka, M., 2003. Releases and recoveries of U.S. salmonid data storage tags, and recoveries of high seas tags in North America, 2003. NPAFC Doc. 722. SAFS-UW-0308. School of Aquatic and Fishery Sciences, University of Washington, Seattle, WA.
52	204	Walker, R.V., Davis, N.D., Myers, K.W., Urawa, S., and Hirasawa, K., 2004. Releases and recoveries of U.S. and NPRB salmonid data storage tags, and recoveries of high seas tags in North America, 2004. NPAFC Doc. 806. SAFS-UW-0406. School of Aquatic and Fishery Sciences, University of Washington, Seattle, WA.
53	204	Walker, R.V., Davis, N.D., Myers, K.W., Helle, J.H., Fukuwaka, M., Urawa, S., Karpenko, V.I., Dekshstein, A.B., Zolotukhin, S., and Kovalenko, S., 2005. Releases and recoveries of U.S. and NPRB salmonid data storage tags, and recoveries of high seas tags in North America and Russia, 2005. NPAFC Doc. 904. SAFS-UW-0504. School of Aquatic and Fishery Sciences, University of Washington, Seattle, WA.
54	301	Laurel, B.J., Stoner, A.W., and Hurst, T.P., 2007. Density-dependent habitat use in marine flatfish: the dynamic role of ontogeny and temperature. <i>Marine Ecology Progress Series</i> 338: 183–192.
55	301	Hurst, T.P., Ryer, C.H., Ramsey, J.M., and Haines, S.A., 2007. Divergent foraging strategies of three co-occurring north Pacific flatfishes. <i>Marine Biology</i> 151: 1087–1098.
56	301	Ryer, C.H., Stoner, A.W., Spencer, M.L., and Abookire, A.A., 2007. Presence of larger flatfish modifies habitat preference by age-0 northern rock sole <i>Lepidopsetta polyxystra</i> . <i>Marine Ecology Progress Series</i> 342: 227–238.

Pub#	Project	Reference
57	303	Elfstrom, C.M., Smith, C.T., and Seeb, J.E., 2006. Thirty-two single nucleotide polymorphism markers for high-throughput genotyping of sockeye salmon. <i>Molecular Ecology Notes</i> 6: 1255–1259.
58	303	Seeb, L.W., Smith, C.T., Templin, W.D., Wilmot, R.L., and Seeb, J.E., 2004. Development of a Pacific Rim baseline for chum salmon based on single nucleotide polymorphism markers (SNPs). NPAFC Doc. 824. Alaska Department of Fish and Game, Anchorage, AK.
59	303	Seeb, L.W., Templin, W.D., Smith, C.T., Elfstrom, C., Urawa, S., Wilmot, R.L., Abe, S., and Seeb, J.E., 2005. SNPs provide an easily-standardized baseline for NPAFC studies of chum salmon. NPAFC Doc. 907. Alaska Department of Fish and Game, Anchorage, AK.
60	303	Templin, W.D., Smith, C.T., Seeb, J.E., and Seeb, L.W., 2005. SNPs provide high-throughput resolution for migratory studies of Chinook salmon. NPAFC Doc. 908. Alaska Department of Fish and Game, Anchorage, AK.
61	303	Yoon, M., Brykov, V., Varnavskaya, N., Seeb, L.W., Urawa, S., and Abe, S., 2004. Mitochondrial DNA analysis of genetic variation in the Pacific Rim populations of chum salmon. NPAFC Doc. 792. Graduate School of Fisheries Sciences, Hokkaido University, Hakodate, Japan.
62	303	Yoon, M., Sato, S., Seeb, J.E., Wilmot, R.L., Urawa, S., Urano, A., and Abe, S., 2005. Genetic variation among chum salmon populations in the Pacific Rim inferred from the mitochondrial and microsatellite DNA analyses. NPAFC Doc. 898. Graduate School of Fisheries Sciences, Hokkaido University, Hakodate, Japan.
63	303	Zelenina, D., Khrustaleva, A., Volkov, A., Habicht, C., Smith, C., and Seeb, J., 2005. A case study of two genetic markers for inter-laboratory collaboration: SNPs provide transportability without standardization. NPAFC Doc. 913. Russian Federal Research Institute of Fisheries & Oceanography, Federal Fisheries Agency of Russia, Moscow, Russia.
64	308	Buchheister, A., Wilson, M.T., Foy, R.J., and Beauchamp, D.A., 2006. Seasonal and geographic variation in condition of juvenile walleye pollock in the western Gulf of Alaska. <i>Transactions of the American Fisheries Society</i> 135: 897–907.
65	308, 524	Mazur, M.M., Wilson, M.T., Dougherty, A.B., Buchheister, A., and Beauchamp, D.A., 2007. Temperature and prey quality effects on growth of juvenile walleye pollock <i>Theragra chalcogramma</i> (Pallas): a spatially-explicit bioenergetics approach. <i>Journal of Fish Biology</i> 70: 816–836.
66	308	Wilson, M.T., Jump, C.M., and Duffy-Anderson, J.T., 2006. Comparative analysis of the feeding ecology of two pelagic forage fishes: capelin (<i>Mallotus villosus</i>) and walleye pollock (<i>Theragra chalcogramma</i>). <i>Marine Ecology Progress Series</i> 317: 245–258.
67	320	Benowitz-Fredericks, Z.M., Shultz, M.T., and Kitaysky, A.S., 2008. Stress hormones reveal opposite trends of food availability between planktivorous and piscivorous seabirds in two years. <i>Deep-Sea Research II</i> 55(16-17): 1868–1876.
68	327	Burris, S., Hillgruber, N., and Zimmerman, C.E., 2006. Estuarine ecology of juvenile chum salmon (<i>Oncorhynchus keta</i>) in Kuskokwim Bay, Alaska. <i>Proceedings of the 22nd Northeast Pacific Pink & Chum Salmon Workshop</i> . Ketchikan, Alaska, pp. 91–97.
69	419	Jurado-Molina, J., Gatica, C., and Cubillos, L.A., 2006. Incorporating cannibalism into an age-structured model for the Chilean hake. <i>Fisheries Research</i> 82: 30–40.
71	626, 527	Tiemann, C.O., Thode, A., Straley, J., O'Connell, V., and Folkert, K., 2006. Three-dimensional localization of sperm whales using a single hydrophone. <i>Journal of the Acoustical Society of America</i> 120(4): 2355–2365.
72	304	Lehnert, H., Stone, R., and Heimler, W., 2006. New species of deep-sea demosponges (<i>Porifera</i>) from the Aleutian Islands (Alaska, USA). <i>Zootaxa</i> 1250: 1–35.
73	304	Lehnert, H., Stone, R., and Heimler, W., 2006. New species of <i>Poeciloscerida</i> (Demospongiae, <i>Porifera</i>) from the Aleutian Islands, Alaska, USA. <i>Zootaxa</i> 1155: 1–23.
76	416	Rooper, C.N., and Zimmermann, M., 2007. A bottom-up methodology for integrating underwater video and acoustic mapping for seafloor substrate classification. <i>Continental Shelf Research</i> 27(7): 947–957.
77	302, 536	Batten, S.D., and Freeland, H. J., 2007. Plankton populations at the bifurcation of the North Pacific Current. <i>Fisheries Oceanography</i> 16(6): 536–546.
78	322, 532	Suryan, R.M., Dietrich, K.S., Melvin, E.F., Balogh, G.R., Sato, F., and Ozaki, K., 2007. Migratory routes of short-tailed albatrosses: use of exclusive economic zones of North Pacific Rim countries and spatial overlap with commercial fisheries in Alaska. <i>Biological Conservation</i> 137: 450–460.
79	320	Kitaysky, A.S., Piatt, J.F., and Wingfield, J.C., 2007. Stress hormones link food availability and population processes in seabirds. <i>Marine Ecology Progress Series</i> 352: 245–258.
80	320	Iverson, S.J., Springer, A.M., and Kitaysky, A.S., 2007. Seabirds as indicators of food web structure and ecosystem variability: qualitative and quantitative diet analyses using fatty acids. <i>Marine Ecology Progress Series</i> 352: 235–244.
82	320	Takahashi, A., Matsumoto, K., Hunt Jr., G.L., Shultz, M.T., Kitaysky, A.S., Sato, K., Iida, K., and Watanuki, Y., 2008. Thick-billed murres use different diving behaviors in mixed and stratified waters. <i>Deep-Sea Research II</i> 55 (16-17): 1837–1845.

Pub#	Project	Reference
85	529	Berman, M., 2006. Modeling spatial choice in ocean fisheries. <i>Marine Resource Economics</i> 21: 387–406.
86	313	Frid, A., Dill, L.M., Thorne, R.E., and Blundell, G.M., 2007. Inferring prey perception of relative danger in large-scale marine systems. <i>Evolutionary Ecology Research</i> 9: 635–649.
87	205, 303	Smith, C.T., Baker, J., Park, L., Seeb, L.W., Elfstrom, C., Abe, S., and Seeb, J.E., 2005. Characterization of 13 single nucleotide polymorphism markers for chum salmon. <i>Molecular Ecology Notes</i> 5: 259–262.
88	320 413	Williams, C.T., Buck, C.L., Sears, J., and Kitaysky, A.S., 2007. Effects of nutritional restriction on nitrogen and carbon stable isotopes in growing seabirds. <i>Oecologia</i> 153: 11–18.
90	314	Loher, T., 2007. Investigating variability in catch rates of halibut (<i>Hippoglossus stenolepis</i>) in the Pribilof Islands: Is temperature important? <i>Deep-Sea Research II</i> 55(16-17): 1801–1808.
91	416	Rooper, C.N., Boldt, J.L., and Zimmermann, M., 2007. An assessment of juvenile Pacific Ocean perch (<i>Sebastes alutus</i>) habitat use in a deepwater nursery. <i>Estuarine, Coastal and Shelf Science</i> 75: 371–380.
92	516	Springer, A.M., Byrd, G.V., and Iverson, S.J., 2007. Hot oceanography: planktivorous seabirds reveal ecosystem responses to heating of the Bering Sea. <i>Marine Ecology Progress Series</i> 352: 289–297.
93	607	Jin, M., Deal, C., Wang, J., Alexander, V., Gradinger, R., Saitoh, S., Iida, T., Wan, Z., and Stabeno, P., 2007. Ice-associated phytoplankton blooms in the southeastern Bering Sea. <i>Geophysical Research Letters</i> 34, L06612, doi:10.1029/2006GL028849, doi:10.1029/2006GL028849 .
95	508	Orensanz, J.M., Ernst, B., and Armstrong, D.A., 2007. Variation of female size and stage at maturity in snow crab (<i>Chionoecetes opilio</i>) (<i>Brachyura: Majidae</i>) from the eastern Bering Sea. <i>Journal of Crustacean Biology</i> 27(4): 576-591.
96	606	Brodeur, R.D., Decker, M.B., Ciannelli, L., Purcell, J.E., Bond, N.A., Stabeno, P.J., Acuna, E., and Hunt Jr., G.L., 2007. Rise and fall of jellyfish in the eastern Bering Sea in relation to climate regime shifts. <i>Progress in Oceanography</i> 77: 103-111.
97	527, 626	Thode, A., Straley, J., Tiemann, C.O., Folkert, K., and O'Connell, V., 2007. Observations of potential acoustic cues that attract sperm whales to longline fishing in the Gulf of Alaska. <i>Journal of the Acoustical Society of America</i> 122(2): 1265–1277.
98	413	Whidden, S.E., Williams, C.T., Breton, A.R., and Buck, C.L., 2007. Effects of transmitters on the reproductive success of tufted puffins. <i>Journal of Field Ornithology</i> 78(2): 206–212.
99	302, 536	Mackas, D.L., Batten, S., and Trudel, M., 2007. Effects on zooplankton of a warming ocean: recent evidence from the Northeast Pacific. <i>Progress in Oceanography</i> 75: 223–252.
100	313	Frid, A., Baker, G.G., and Dill, L.M., 2007. Do shark declines create fear-released systems? <i>Oikos</i> 117: 191–201.
101	313	Frid, A., Heithaus, M.R., and Dill, L.M., 2007. Dangerous dive cycles and the proverbial ostrich. <i>Oikos</i> 116: 893–902.
102	531	Sydeman, W.J., Abraham, C.L., and Byrd, G.V., 2008. Seabird–sockeye salmon co-variation in the eastern Bering Sea: phenology as an ecosystem indicator and salmonid predictor? <i>Deep Sea Research II</i> 55: 1877–1882.
103	304	Brooke, S., and Stone, R., 2007. Reproduction of deep-water hydrocorals (family Stylasteridae) from the Aleutian Islands, Alaska. <i>Bulletin of Marine Science</i> 81(3): 519-532.
104	304	Heifetz, J., Stone, R.P., Malecha, P.W., Courtney, D.L., Fujioka, J.T., and Rigby, P.W., 2003. Research at the Auke Bay Laboratory on benthic habitat. Feature, Alaska Fisheries Science Center Quarterly Report, July-September: 1-10.
105	304	Krutikov, L., 2006. Implications for strain accommodation in an oblique subduction zone: new paleomagnetic and geologic data from the Central Aleutian Arc, Alaska. Master's Thesis, University of Alaska Fairbanks, Alaska, unpublished.
106	304	Lehnert, H., Stone, R., and Heimler, W., 2005. A new species of <i>Polymastia</i> (Porifera, Hadromerida, Polymastiidae) from the Aleutian Islands, Alaska, USA. <i>Facies</i> 51: 49–52.
107	304	Lehnert, H., Watling, L., and Stone, R., 2005. <i>Cladorhiza corona</i> sp. nov. (Porifera: Demospongiae: Cladorhizidae) from the Aleutian islands (Alaska). <i>Journal of the Marine Biological Association of the United Kingdom</i> 85: 1359–1366.
108	304	Lehnert, H., Stone, R., and Heimler, W., 2005. Two new species of <i>Plakina Schulze, 1880</i> (Porifera, Plakinidae) from the Aleutian Islands (Alaska, USA). <i>Zootaxa</i> 1068: 27–38.
109	304	Lehnert, H., Stone, R., and Heimler, W., 2006. <i>Erylus aleuticus</i> sp. nov. (Porifera: Demospongiae: Astrophorida: Geodiidae) from the Aleutian Islands, Alaska, USA. <i>Journal of the Marine Biological Association of the United Kingdom</i> 86: 971–975.
110	641	Bukina L.A., and Kolevatova A.I., 2007. Trichinella cycle in coastal areas of the Chukchi Peninsula. The contemporary world, nature and man 4(2): 101–103. (In Russian; no English abstract available).

Pub#	Project	Reference
111	529	Berman, M., and Sumaila, R., 2006. Discounting, amenity values and ecosystem restoration. <i>Marine Resource Economics</i> 21(2): 211–219.
112	601, 536, 302	Lindley, J.A., and Batten, S.D., 2008. Distribution and seasonal cycles of decapod crustacean larvae in Continuous Plankton Records from the North Pacific Ocean. <i>Journal of the Marine Biological Association of the United Kingdom</i> 88: 443–451.
113	517	Bond, N.A., and Overland, J.E., 2005. The importance of episodic weather events to the ecosystem of the Bering Sea shelf. <i>Fisheries Oceanography</i> 14(2): 97–111.
114	517	Duffy-Anderson, J.T., Busby, M.S., Mier, K.L., Deliyanides, C.M., and Stabeno, P.J., 2006. Spatial and temporal patterns in summer ichthyoplankton assemblages on the eastern Bering Sea shelf 1996–2000. <i>Fisheries Oceanography</i> 15(1): 80–94.
115	517	Jin, M., Deal, C.J., Wang, J., Tanaka, N., and Ikeda, M., 2006. Vertical mixing effects on the phytoplankton bloom in the southeastern Bering Sea midshelf. <i>Journal of Geophysical Research</i> 111, C03002, doi:10.1029/2005JC002994.
116	517	Okkonen, S.R., Schmidt, G.M., Cokelet, E.D., and Stabeno, P.J., 2004. Satellite and hydrographic observations of the Bering Sea “Green Belt”. <i>Deep-Sea Research II</i> 51: 1033–1051.
117	517	Overland, J.E., and Stabeno, P.J., 2004. Is the climate of the Bering Sea warming and affecting the ecosystem? <i>EOS</i> 85(33): 309–316.
118	517	Stabeno, P.J., Bond, N.A., and Salo, S.A., 2007. On the recent warming of the southeastern Bering Sea Shelf. <i>Deep-Sea Research II</i> 54: 2599–2618.
119	301	Hurst, T.P., and Duffy, T.A., 2005. Activity patterns in northern rock sole are mediated by temperature and feeding history. <i>Journal of Experimental Marine Biology and Ecology</i> 325: 201–213.
120	204	Fukuwaka, M., Urawa, S., Yoshimitsu, S., Davis, N.D., and Walker, R.V., 2006. Recoveries of high-seas tags in Japan in 2005, and tag releases and recoveries of fin-clipped salmon from Japanese research vessel surveys in the North Pacific Ocean in 2006. NPAFC Doc. 961. Hokkaido National Fisheries Research Institute, Fisheries Research Agency, Kushiro, Japan.
121	204	Murphy, J.M., Walker, R.V., Moss, J.H., Cieciel, K., Davis, N.D., Myers, K.W., Fukuwaka, M., and Urawa, S., 2007. Releases of high-seas salmon tags by U.S. vessels in 2006. NPAFC Doc. 1038. Auke Bay Laboratories, Alaska Fisheries Science Center, NOAA Fisheries, Juneau, AK.
122	204	Walker, R.V., Sviridov, V.V., Urawa, S., and Azumaya, T., 2007. Spatio-temporal variation in vertical distributions of Pacific salmon in the ocean. <i>North Pacific Anadromous Fish Commission Bulletin</i> 4: 193–201.
123	605	Litzow, M.A., and Ciannelli, L., 2007. Oscillating trophic control induces community reorganization in a marine ecosystem. <i>Ecology Letters</i> 10: 1124–1134.
124	411, 535	Herman, D.P., Burrows, D.G., Wade, P.R., Durban, J.W., Matkin, C.O., LeDuc, R.G., Barrett-Lennard, L.G., and Krahn, M.M., 2005. Feeding ecology of eastern North Pacific killer whales <i>Orcinus orca</i> from fatty acid, stable isotope, and organochlorine analyses of blubber biopsies. <i>Marine Ecology Progress Series</i> 302: 275–291.
128	208	Tojo, N., Kruse, G.H., and Funk, F.C., 2007. Migration dynamics of Pacific herring (<i>Clupea pallasii</i>) and response to spring environmental variability in the southeastern Bering Sea. <i>Deep-Sea Research Part II</i> 54: 2832–2848.
129	417	Lauth, R. R., Guthridge, J., Nichol, D., McEntire, S. W., and Hillgruber, N., 2007. Timing and duration of mating and brooding periods of Atka mackerel (<i>Pleurogrammus monopterygius</i>) in the North Pacific Ocean. <i>Fishery Bulletin</i> 105 (4): 560–570.
130	417	Lauth, R.R., and Blood, D.M., 2007. Description of embryonic development of Atka mackerel (<i>Pleurogrammus monopterygius</i>). <i>Fishery Bulletin</i> 105: 571–576.
131	303	Habicht, C., Seeb, L.W., and Seeb, J.E., 2007. Genetic and ecological divergence defines population structure of sockeye salmon populations returning to Bristol Bay, Alaska, and provides a tool for admixture analysis. <i>Transactions of the American Fisheries Society</i> 136: 82–94.
132	303	Moriya, S., Sato, S., Urawa, S., Urano, A., and Abe, S., 2004. Development of DNA microarray for rapid identification of mitochondrial DNA haplotypes in chum salmon. <i>Fish Genetics and Breeding Science</i> 33: 115–121. (In Japanese, with English summary.)
133	303	Moriya, S., Urawa, S., Suzuki, O., Urano, A., and Abe, S., 2005. DNA microarray for rapid detection of mitochondrial DNA haplotypes of chum salmon. <i>Marine Biotechnology</i> 6: 430–434.
134	303	Myers, K.W., Klovach, N.V., Gritsenko, O.F., Urawa, S., and Royer, T.C., 2007. Stock-specific distributions of Asian and North American salmon in the open ocean, interannual changes, and oceanographic conditions. <i>North Pacific Anadromous Fish Commission Bulletin</i> 4: 159–177.
135	303	Sato, S., Kojima, H., Ando, J., Ando, H., Wilmot, R.L., Seeb, L.W., Efremov, V., LeClair, L., Buchholz, W., Jin, D., Urawa, S., Kaeriyama, M., Urano, A., and Abe, S., 2004. Genetic population structure of chum salmon in the Pacific Rim inferred from mitochondrial DNA sequence variation. <i>Environmental Biology of Fishes</i> 69: 37–50.

Pub#	Project	Reference
136	303	Smith, C.T., and Seeb, L.W., 2008. Number of alleles as a predictor of the relative assignment accuracy of short tandem repeat (STR) and single-nucleotide-polymorphism (SNP) baselines for chum salmon. <i>Transactions of the American Fisheries Society</i> 137: 751–762.
137	303	Urawa, S., Seki, J., Kawana, M., Saito, T., Crane, P.A., Seeb, L.W., Fukuwaka, M., and Akinicheva, E., 2006. Origins of juvenile chum salmon caught in the southwestern Okhotsk Sea during the fall of 2000. <i>Bulletin of the National Salmon Resources Center</i> 8: 9-16.
138	303	Abe, S., Sato, S., Edpalina, R.R., Ando, H., Kaeriyama, M., Urawa, S., and Urano, A., 2004. Stock identification of chum salmon by mitochondrial DNA sequence analysis. NPAFC Technical Report 5: 82–83.
139	303	Habicht, C., Varnavskaya, N.V., Azumaya, T., Urawa, S., Wilmot, R.L., Guthrie, C.M., and Seeb, J.E., 2005. Migration patterns of sockeye salmon in the Bering Sea discerned from stock composition estimates of fish captured during BASIS studies. NPAFC Technical Report 6: 41–43.
140	303	Sato, S., Yoon, M., Abe, S., and Urawa, S., 2007. Update of mitochondrial DNA baseline for stock identification of chum salmon. NPAFC Doc. 1019. National Salmon Resources Center, Fisheries Research Agency, Sapporo, Japan.
141	303	Moriya, S., Urano, A., Urawa, S., Suzuki, O., and Abe, S., 2004. Development of DNA microarray for rapid detection of mitochondrial DNA haplotypes of chum salmon. NPAFC Technical Report 5: 28–30.
142	303	Sato, S., Moriya, S., Azumaya, T., Suzuki, O., Urawa, S., Abe, S., and Urano, A., 2004. Genetic stock identification of chum salmon in the central Bering Sea and adjacent North Pacific Ocean by DNA microarray during the early falls of 2002 and 2003. NPAFC Doc. 793. National Salmon Resources Center, Sapporo, Japan.
143	303	Sato, S., Takahashi, S., Seeb, L.W., Seeb, J.E., Fukuwaka, M., and Urawa, S., 2006. Stock identification of winter chum salmon by mitochondrial DNA and SNP analyses. NPAFC Doc. 963. National Salmon Resources Center, Fisheries Research Agency, Sapporo, Japan.
144	303	Urawa, S., Kawana, M., Azumaya, T., Crane, P.A., and Seeb, L.W., 2005. Stock-specific ocean distribution of immature chum salmon in the summer and early fall of 2003: estimates by allozyme analysis. NPAFC Doc. 896. National Salmon Resources Center, Sapporo, Japan.
145	303	Urawa, S., Sato, S., Varnavskaya, N., Crane, P.A., and Beacham, T.D., 2007. Genetic stock identification of juvenile chum salmon caught in the Okhotsk Sea during the Fall of 2003. NPAFC Technical Report 7: 72–74.
146	303	Urawa, S., Azumaya, T., Crane, P.A., and Seeb, L.W., 2005. Origins and distribution of chum salmon in the central Bering Sea. NPAFC Technical Report 6: 67–70.
147	303	Urawa, S., Seki, J., Kawana, M., Crane, P.A., Seeb, L.W., Gorbatenko, K., and Fukuwaka, M., 2004. Juvenile chum salmon in the Okhotsk Sea: their origins estimated by genetic and otolith marks. NPAFC Technical Report 5: 87–88.
148	303	Urawa, S., Azumaya, T., Crane, P.A., and Seeb, L.W., 2004. Origin and distribution of chum salmon in the Bering Sea during the early fall of 2002: estimates by allozyme analysis. NPAFC Doc. 794. National Salmon Resources Center, Sapporo, Japan.
149	303	Yoon, M., Azuma, N., Sato, S., Seeb, J.E., Wilmot, R.L., Urawa, S., Urano, A., and Abe, S., 2006. Genetic variation among Pacific Rim chum salmon populations inferred from the microsatellite DNA analysis. NPAFC Doc. 964. Graduate School of Fisheries Sciences, Hokkaido University, Hakodate, Japan.
151	313	Heithaus, M.R., Frid, A., Wirsing, A., and Worm, B., 2008. Predicting ecological consequences of marine top predator declines. <i>Trends in Ecology and Evolution</i> 23: 202–210.
152	313	Wirsing, A.J., Heithaus, M.R., Frid, A., and Dill, L.M., 2007. Seascapes of fear: evaluating sublethal predator effects experienced and generated by marine mammals. <i>Marine Mammal Science</i> 24(1): 1–15.
153	615	Harris, P.T., Heap, A., Whiteway, T., and Post, A., 2008. Applications of geoscience to Australia's representative marine protected area program. In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 219–236.
154	615	Hare, R.M., 2008. Small-boat surveys in shallow water. In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 71–89.
155	615	Tolimieri, N., Clarke, M.E., Singh, H., and Goldfinger, C., 2008. Evaluating the SeaBED AUV for monitoring groundfish in untrawlable habitat. In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 129–141.
156	612	Parrish, J.K., Bond, N., Nevins, H., Mantua, N., Loeffel, R., Peterson, W.T., and Harvey, J.T., 2007. Beached birds and physical forcing in the California Current System. <i>Marine Ecology Progress Series</i> 352: 275–288.
157	534	Vander Pol, S.S., Ellisor, M.B., Pugh, R.S., Becker, P.R., Poster, D.L., Schantz, M.M., Leigh, S.D., Wakeford, B.J., Roseneau, D.G., and Simac, K.S., 2007. Development of a murre (<i>Uria</i> spp.) egg control material. <i>Analytical and Bioanalytical Chemistry</i> 387: 2357–2363.

Pub#	Project	Reference
158	534	Vander Pol, S.S., and Becker, P.R., 2007. Monitoring contaminants in seabirds: the importance of specimen banking. <i>Marine Ornithology</i> 35: 113–118.
159	320	Shultz, M.T., and Kitaysky, A.S., 2008. Spatial and temporal dynamics of corticosterone and corticosterone binding globulin are driven by environmental heterogeneity. <i>General and Comparative Endocrinology</i> 155(3): 717–728.
160	320	Kitaysky, A.S., Kitaiskaia, E.V., Piatt, J.F., and Wingfield, J.C., 2006. A mechanistic link between chick diet and decline in seabirds? <i>Proceedings of the Royal Society B</i> 273: 445–450.
161	320	Iverson, S.J., Springer, A.M., and Kitaysky, A.S., 2007. Seabirds as indicators of food web structure and ecosystem variability: qualitative and quantitative diet analyses using fatty acids. <i>Marine Ecology Progress Series</i> 352: 235–244.
163	320	Wang, S.W., Iverson, S.J., Springer, A.M., and Hatch, S.A., 2007. Fatty acid signatures of stomach oil and adipose tissue of northern fulmars (<i>Fulmarus glacialis</i>) in Alaska: implications for diet analysis of Procellariiform birds. <i>Journal of Comparative Physiology B</i> 177: 893–903.
164	615	Pacunski, R.E., Palsson, W.A., Greene, H.G., and Gunderson, D., 2008. Conducting visual surveys with a small ROV in shallow water. In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 109–128.
165	507	Stevens, B.G., Persselin, S., and Matweyou, J., 2008. Survival of blue king crab, <i>Paralithodes platypus</i> Brandt, 1850, larvae in cultivation: effects of diet, temperature and rearing density. <i>Aquaculture Research</i> 39: 390–397.
167	615	Rooper, C.N., 2008. Underwater video sleds: versatile and cost effective tools for habitat mapping. In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 99–107.
168	615	Barrie, J.V., and Conway, K.W., 2008. Surficial Geology: the third dimension in habitat mapping. In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 91–97.
169	615	Yoklavich, M.M., and O'Connell, V., 2008. Twenty years of research on demersal communities using the Delta submersible in the Northeast Pacific. In: Reynolds, J.R., and Green, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 143–155.
170	615	Galloway, J.L., 2008. Systematic acoustic seafloor habitat mapping of the British Columbia coast. In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 195–201.
171	615	Tissot, B.N., 2008. Video analysis, experimental design, and database management of submersible-based habitat studies. In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 157–167.
172	615	Tissot, B.N., Wakefield, W.W., Hixon, M.A., and Clemons, J.E.R., 2008. Twenty years of fish-habitat studies on Heceta Bank, Oregon. In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 203–217.
173	615	Caress, D.W., Thomas, H., Kirkwood, W.J., McEwen, R., Henthorn, R., Clague, D.A., Paull, C.K., Paduan, J., 2008. High-resolution multibeam, sidescan, and subbottom surveys using the MBARI AUV D. Allan B. In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks.
174	615	Cochrane, G.R., 2008. Video-supervised classification of sonar data for mapping seafloor habitat. In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 185–194.
175	515	Swanson, B.J., Kelly, B.P., Maddox, C.K., and Moran, J.R., 2006. Shed skin as a source of DNA for genotyping seals. <i>Molecular Ecology Notes</i> 6: 1006–1009.
176	206	Hyrenbach, K.D., Henry, M.F., Morgan, K.H., Welch, D.W., and Sydeman, W.J., 2007. Optimizing the width of strip transects for seabird surveys from vessels of opportunity. <i>Marine Ornithology</i> 35: 29–37.
177	516	Sydeman, W.J., Piatt, J.F., and Browman, H.I., 2007. Seabirds as indicators of marine ecosystems. Theme section, <i>Marine Ecology Progress Series</i> 352: 199–309.
179	615	Greene, H.G., O'Connell, V., Brylinsky, C.K., and Reynolds, J.R., 2008. Marine benthic habitat classification: What's best for Alaska? In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 169–184.
181	615	Huff, L.C., 2008. Acoustic remote sensing as a tool for habitat mapping in Alaskan waters. In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 29–45.

Pub#	Project	Reference
182	615	Kurland, J., and Woodby, D., 2008. What is marine habitat mapping and why do managers need it? In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 13–27.
183	615	Reynolds, J.R., Greene, H.G., Woodby, D., Kurland, J., and Allee, B., 2008. Overview: marine habitat mapping technology for Alaska. In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 1–11.
185	621, 510	Haas, D.L., and Ebert, D.A., 2008. First record of hermaphroditism in the Bering skate, <i>Bathyraja interrupta</i> . <i>Northwestern Naturalist</i> 89: 181–185.
186	510	Ebert, D.A., Smith, W.D., and Cailliet, G.M., 2008. Reproductive biology of two commercially exploited skates, <i>Raja binoculata</i> and <i>R. rhina</i> , in the western Gulf of Alaska. <i>Fisheries Research</i> 94: 48–57.
187	615	Reynolds, J.R., Greene, H.G., Woodby, D., Kurland, J., and Allee, B., 2008. Workshop report: marine habitat mapping technology workshop for Alaska. In: Reynolds, J.R., and Greene, H.G. (Eds.), <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks, pp. 237–265.
188	509	Bechtol, W.R., and Kruse, G.H., 2009. Reconstruction of historical abundance and recruitment of red king crab during 1960–2004 around Kodiak, Alaska. <i>Fisheries Research</i> 100: 86–98.
189	418, 511	Rice, J.S., Gallucci, V.F., and Kruse, G.H., 2009. Evaluation of the precision of age estimates for spiny dogfish. In: Gallucci, V.F., McFarlane, G.A., and Bargmann, G.G. (Eds.), <i>Biology and Management of Dogfish Sharks</i> . American Fisheries Society, Bethesda, Maryland, pp. 161–168.
190	615	Reynolds, J.R., and Greene, H.G. (Eds.), 2008. <i>Marine Habitat Mapping Technology for Alaska</i> . Alaska Sea Grant College Program, University of Alaska Fairbanks.
194	607	Jin, M., Deal, C., Wang, J., and McRoy, C.P., 2009. Response of lower trophic level production to long-term climate change in the south-eastern Bering Sea. <i>Journal of Geophysical Research</i> 114, C04010.
196	413	Williams, C.T., Iverson, S.J., and Buck, C.L., 2008. Stable isotopes and fatty acid signatures reveal age- and stage-dependent foraging niches in tufted puffins. <i>Marine Ecology Progress Series</i> 363: 287–298.
197	417	Lauth, R.R., McEntire, S.W., and Zenger, H.H., 2007. Geographic distribution, depth range, and description of Atka mackerel <i>Pleurogrammus monopterygius</i> nesting habitat in Alaska. <i>Alaska Fishery Research Bulletin</i> 12(2): 165–186.
200	607	Deal, C.J., Jin, M., and Wang, J., 2008. The significance of water column nitrification in the southeastern Bering Sea. <i>Chinese Journal of Polar Science</i> 19(2): 185–192.
202	607	Jin, M., Deal, C., and Wang, J., 2008. A coupled ice-ocean ecosystem model for 1-D and 3-D applications in the Bering and Chukchi Seas. <i>Chinese Journal of Polar Science</i> 19(2): 204–215.
203	828	Panteleev, G., Yaremchuk, M., and Nechaev, D., 2009. Optimization of mooring observations in Northern Bering Sea. <i>Dynamics of Atmospheres and Oceans</i> 48(1–3): 143–154.
204	828	Panteleev, G., Nechaev, D., Luchin, V., Stabeno, P., Maximenko, N., and Ikeda, M., 2008. Toward development of the 4Dvar data assimilation system in the Bering Sea: Reconstruction of the mean dynamic ocean topography. <i>Chinese Journal of Polar Science</i> 19(2): 123–135.
206	415	Hoff, G. R., 2008. A nursery site of the Alaska skate (<i>Bathyraja parmifera</i>) in the eastern Bering Sea. <i>Fishery Bulletin</i> 106(3): 233–244.
235	510	Bizzarro, J.J., and Vaughn, M.T., 2008. First records of the whiteblotched skate (<i>Bathyraja maculata</i>) in the eastern Gulf of Alaska. <i>Northwestern Naturalist</i> 89: 193–197.